

63

1. DI

.

## PROJECTION AND LIGHT SELECTION SYSTEMS

## CARTS

IMPROVE THE CONVENIENCE / SPEED / ACCURACY OF ORDER PICKING



#### APPLICATION



**Delivery services** 



Wholesale / retail



Marketplaces



Fulfillment



**Online stores** 



**Pharmaceutical distribution** 




**Cosmetics distribution** 



**Electronic devices distribution** 







## PICKING CART with PTL


ONE-SIDE FM-4 PTL-12












#### **PICKING CART** ٥ with PTL **TWO-SIDE FM-2 PTL-8** PUT TO LIGHT Number of modules 8 MODULE Contains: 3-bit segment "+" and "-" 8.8.8. 0 display buttons RS-485 "OK" interface button LOAD Single box weight 25 kg CAPACITY Per shelf 100 kg Total per cart 200 kg DIMENSIONS Height 1600 mm Depth 700 mm Width 1100 mm CONTENTS Cart with PTL + wireless or stationary scanner **OF DELIVERY** 2 batteries + charger (on request) Accessory




# PICKING CART with PTL

TWO-SIDE PMA-PTLC-M-12



PUT TO LIGHT MODULE		Number of modules	—	18
Contains:				
3-bit segment display	v="" and "-" buttons	• • 8.8.8.9		/
RS-485 interface	"OK" button	•		
LOAD CAPACITY		Single box weight	_	25 kg
		Per shelf		80 kg
		Total per cart	—	240 kg
DIMENSIONS				
DIMENSION		Height		1350 mm
		Depth		850 mm
		Width	—	750 mm
CONTENTS OF DELIVERY		Cart with PTL + wireless or stationary scanner		
	2 batteries	_	+ charger	
		Accessory	_	(on request)




### PICKING CART

TWO-SIDE



LOAD CAPACITY	Single box weight	—	25 kg
	Per shelf	—	80 kg
	Total per cart	—	240 kg
DIMENSIONS			
DIMENSIONS	Height		1350 mm
	Depth	—	850 mm

== photomechanics







## Light mobile TABLE CART



LOAD CAPACITY	Single box weight	—	20 kg
	Per shelf	—	20 kg
	Total per cart	—	50 kg
DIMENSIONS	Height		600 mm
	neight		600 mm
	Depth	—	850 mm
	Width	—	450 mm






## Large mobile CONTROL STATIONS


for two operators

TWO-SIDE



LOAD CAPACITY	Single box weight	—	30 kg
	Per shelf	—	50 kg
	Per table board	—	250 kg
	Total per cart	—	350 kg
DIMENSIONS			1000 mm *with ruler
	Height		*with ruler
	Depth	—	1420 mm
	Width	_	1350 mm







## Mobile PACKING STATION

for two operators



LOAD CAPACITY	Single box weight	_	30 kg
	Per shelf	_	50 kg
	Per table board	_	250 kg
	Total per cart		350 kg
DIMENSIONS	Height	—	820 mm <b>*990</b> with ruller
	Depth	—	1200 mm
	Width		730 mm





## Stationary PACKING STATION

for two operators



LOAD CAPACITY	Single box weight	—	30 kg
	Per shelf		50 kg
	Per table board		250 kg
	Total per cart		350 kg
DIMENSIONS	Height	—	870 mm * <b>1610</b> with ruller
	Depth	_	1525 mm
	Width	_	1200 mm

**photomechanics** 

